

GLMR16S- Elipta Lunar Underwater Spotlight

Lunar is a budget-priced adjustable IP68 spotlight with a plastic body and MR16 lampholder for use with a 3w led lamp. It has a clear lens, a 5m cable with IP44 Plug&Play connector and a clip-on glare shield for lighting small focal points, or for use as an underwater spotlight in fountains and waterfalls. As mounting requirements may vary, Lunar is supplied without a mount so you can choose between mounting options: the adjustable polycarbonate knuckle joint fits a range of mounting options **to be ordered separately** including a spike, mounting base, extension pole and a tube bracket to allow mounting on fountain head pipes. Lunar is designed for easy installation with the minimum of tools with a range of Plug&Play transformers, connectors, extension cables and junction boxes.


Electrical	12v AC Plug&Play MR16 LEDs
Construction	Plastic body with clip-on glare shield and adjustable knuckle joint. IP68 with IP44 cable connectors
Dimensions	112mm including 32mm glare shield with a 72mm diameter lens and 68mm tall



IP68	Retrofit LED	12v MR16
------	--------------	----------

Installation guidelines

5m input cable with male IP44 2-pin input connector to plug into a Plug&Play transformer, extension cable, connector or junction box: an IP68 connection may be achieved by using either the GLWJB IP68 junction box or GLWCC waterproof cable connector. Adjustable polycarbonate knuckle joint fits a range of mounting options including a spike, weighted base, extension pole and a tube bracket to allow mounting on fountain head pipes: order mount separately.



2 YEAR WARRANTY

Exclusions: Damage by machinery, animals or the use of incorrect cleaning materials. Corrosion due to exposure to salt or chlorine. Damage due to incorrect installation practices. Responsibility for 3rd party cost; indirect or consequential loss.

For further technical advice
 call: **01462 486777** or
 email: **technicalsupport@lightingforgardens.com**

www.lightingforgardens.com